

# Dunbier

marine products



TRAILER CATALOGUE 2011/2012





DUNBIER OLD



DUNBIER SA



DUNBIER HEAD OFFICE - VIC



DUNBIER NSW



DUNBIER WA

**AUSTRALIAN MADE. AUSTRALIAN OWNED**

**Dunbier Boat Trailers.**

**Eight series of innovative models to choose from.**

**All from an Australian owned, family company.**

By buying Dunbier you are investing in a quality made Australian product that offers you backup Australia-wide.

Think carefully about your next purchase...

Over 40 years of experience, endless hours of groundbreaking designs to suit the Australian and South Pacific market.

*Russell Dunbier*



# HYDRASTAR BRAKES

for trailers over 2000kg in Australia, 2500kg in New Zealand



## What's stopping your trailer?

Hydraulic brakes with Dunbier's new 1200psi HYDRASTAR Trailer Brake Actuator.

Step up to the next generation of hydraulic trailer brake actuators with the Hydrastar trailer mounted actuator.

Unlike mechanical override brakes, the output from the Hydrastar actuator is adjustable from the driver's seat with electronic in-car controller to adjust the Hydrastar's output.

### Newly Updated 1200 PSI Hydrastar Actuator Offers

- Faster response for reduced stopping distance
- Simplified wiring - only 4 wires
- Draws power only when brakes are applied - no need for accessory switch

### Compare these Hydrastar Advantages

- Sealed unit
- Does not exceed tow vehicle manufacturers' wiring amp rating
- Unit mounted bleeder fitting simplifies brake bleeding
- Works from brake controller in-car. Inexpensive to fit

### Vastly Superior to Override Brakes

- Eliminates the feel of being pushed by trailer, problems with backing a trailer uphill and brake drag
- Easily replaces override brakes on trailer

### Superior to Override Brakes and Easy to Install

- Easily replaces override, air/hydraulic and vacuum/hydraulic systems. To install, simply mount the Hydrastar to the trailer and attach the hydraulic line
- Only 4 wires to connect, 3 wires go to the tow vehicle receptacle, the fourth goes to the breakaway switch
- Unit mounted bleeder makes bleeding the brake lines easier
- Includes detailed instruction manual

*Note: that the tow vehicle must be equipped with an industry standard electronic brake controller.*

### Easy to Operate

- Engages trailer brakes when tow vehicle brake pedal is applied or when the in-car controller override is activated



## FOLD-A-WAY BOAT TRAILER



- Hot dipped galvanised
- Extends from 1390mm to 3600mm
- Folds up to the size of a golf bag
- Foldaway meets registration requirements
- Australian made by Dunbier
- Regulation lights, winch and carrier



CODE 9001

**Dunbier**  
marine products





SR 4.7M-13B &  
SR 5.0M-13B



SR 5.3M-14B



SR 5.7M-13TB



SR 6.6M-14THE &  
SR 7.0M-14THE



SR 8.0M-15THE

# SUPA ROLLA SERIES

FROM EVEN A casual glance at the Supa Rolla Series you notice the trailer's distinctive profile.

It's round moulded guards with steps, and the shape of the rear swinging cross member that leads your boat securely onto the trailer.

You can not help but appreciate how the boat self centres when both launching and retrieving, either winched on effortlessly or driven on with confidence.

A very popular range of drive-on trailers by Dunbier. Also available in **Wide Frame** models - please refer to specifications on page 22.





### SUPA ROLLA STANDARD FEATURES

SR 6.2M-13TB

- Galvanised axle, hubs & springs
- Galvanised ubolts, bolts & nuts
- Non marking wobble rollers
- Submersible LED lighting



- 5-1 winch & strap on 4.7 to 5.7m, 10-1 winch & strap on 6.1 to 7.7m, 15-1 winch & strap on 8m
- Front 6" swing-up wind-up wheel to 5.7m, Front 8" heavy duty wind-up wheel on 6.2m, New dual alloy wheel on 6.6 to 8.0m
- Dunbier Hydrastar system on selected Wide Frame models
- Four way pivoting multi-roller system frame & components hot dipped galvanised
- Moulded guards & galvanised spoke wheels
- Bearing protectors & covers

**Suitable for  
fibreglass and  
aluminium boats  
with 4mm hulls  
or thicker, boat  
lengths 4.7m to 8m**





AS 6.2M-14TB



AS 7.0M-14THE



AS 7.5M-14THE



AS 8.0M-15THE

# ALUMINIUM SERIES

Dunbier Marine Products has released a range of ultra-strong aluminium multi-roller trailers.

With models available to suit boats up to 6.1m, 6.6m, 7.0m, 7.5m and now 8m, the Australian-made trailers boast superior strength-to-weight ratios for lighter, more economical towing on the road, with all the benefits of drive-on, drive-off capability at the ramp.

Dunbier leaves the competition behind with trailers that look better, tow better and last longer.

Please refer to the specifications on page 22 for the full model variations on this series.





### ALUMINIUM STANDARD FEATURES

#### AS 6.6M-14TB



- New Dunbier designed full rolled aluminium welded frame
- Galvanised axles, springs & hubs
- Non marking wobble rollers
- Submersible LED lighting

- 10-1 winch & strap on all models
- Front 8" heavy duty wind-up wheel on 6.2 to 6.6m, dual alloy wheel on 7.0, 7.5 and 8.0
- All components hot dipped galvanised
- Moulded guards in your choice of color
- Stylish choice of black or polished alloy rims
- Bearing protectors with grease cap

**Up to 23% lighter. Suits boats 6.1m to 8m. Drive-on Drive-off design**

**Dunbier**  
marine products





GR 5.0M-14B



GR 5.7M-13TB



GP 5.3M-14B



GR 6.2M-13TB



GR 6.5M-13TB



GP 7.0M-14THE

## GLIDER SERIES

Dunbier Marine Products has released a new range of user friendly trailers to suit Aluminium and Fibreglass boats.

The Glider Series is available for boats from 5.0m to 7.5m. Gliders are available in a roller version or skid pad version. The roller version featuring adjustable roller assemblies on the side of the hull, the skid version featuring poly over galvanised skids longitude on the hull.

The Glider trailer has a unique central keel support system with strong durable poly rollers giving superior support for boat hulls.

Only selected pad or roller models are featured here. For full specifications refer to page 22.





## GLIDER STANDARD FEATURES

### GP 7.5M-14THE

Side teflon supports or dual pivoting rollers

Galvanised axles, springs & hubs

Teflon-lined directional lead-in

Self centering keel support system



5-1 winch & strap up to 5.7m,  
10-1 winch & strap 6.2m to 7.5m

6" swing up jockey wheel on 5.0-5.7m, 8" swing up  
j/wheel on 6.2-6.5m, dual alloy j/wheel on 7.0 to 7.5m

Frame & most components hot dipped  
galvanised

Moulded guards & galvanised spoke wheels

Bearing protectors & caps

Submersible LED lighting

**Suitable  
for aluminium,  
plate and  
fibreglass boats  
from 5.0m to 7.5m**

**Dunbier**  
marine products





R 4.4M-13 &  
R 4.7M-13



R 5.0M-13



R 5.3M-14B



R 5.7M-13TB



R 6.2M-13TM

# ROLLAMATIC SERIES

What began three decades ago as what appeared to simply be just another boat trailer has now evolved into being our extremely popular Rollamatic Series. It does not take much to understand the philosophy behind this trailer series.

We offer boaters a universal trailer that suits both fibreglass and aluminium boats. It has all the benefits of adjustable keel support and fully adjustable multiroller arms with an innovative rear swinging cross member to help self-centre your boat.

These models are also available in a **Wide Frame** series - please refer to specifications on page 22.





OPTIONAL EQUIPMENT IS FEATURED ON THIS TRAILER

### ROLLAMATIC STANDARD FEATURES

#### R 6.2M-13TM

Galvanised axles, springs & hubs

Rubber keel rollers

Submersible LED lighting



5-1 winch & strap up to 5.7m  
10-1 winch & strap 6.2 to 6.5m

6" swing up jockey wheel on 4.7-5.7m,  
8" swing up jockey wheel on 6.2-6.5m

Frame & most components hot dipped galvanised

Galvanised ubolts, bolts, nuts & washers

Moulded guards & galvanised spoke wheels

Bearing protectors with grease cap

**Suitable for  
fibreglass and  
aluminium boats  
from 4.4 m to 6.2m**

**Dunbier**  
marine products





LS 4.4M-13 &  
LS 4.7M-13B



LS 5.0M-13B



LS 5.7M-13TB



LS 6.2M-13TB

# LOADER SERIES

The Loader Series is the trailer that truly makes a statement. It was designed to suit all types of aluminium boats.

You won't be hanging around the ramp too long, thanks to all the features on this trailer. Dunbier's creative design department have ensured that the features on this trailer enable you to unload and load your boat with ease and efficiency. From the swinging rear cross member and its hard poly keel rollers, steel and poly skid pads down to the boat entry system, aluminium boat users have never had it so good. This trailer is ideally suited for launching straight off the beach or difficult ramp conditions.





## LOADER STANDARD FEATURES

### LS 5.3M-14B

Galvanised axles, springs & hubs

Swinging rear cross member with self-centering keel system

Galvanised ubolts, bolts, nuts & washers



5-1 winch & strap up to 5.7m,  
10-1 winch & strap 6.2 to 7.0m

6" swing up jockey wheel on 5.0-5.7m, 8" swing up  
j/wheel on 6.2-6.5m, dual alloy j/wheel on 7.0 to 7.5m

Frame & most components hot dipped galvanised

Hard poly keel rollers

Moulded guards & galvanised spoke wheels

Submersible LED lighting

**Suitable for  
aluminium boats  
from 4.4m to 6.5m**

**Dunbier**  
marine products





CL 4.2M-13L



CL 4.2M-13S



CL 4.4M-13



CL 5.0M-13B



CL 5.3M-13

# CENTRELINE SERIES

The low-profile look of Dunbier's Centreline Series is impossible to ignore with its contoured, galvanised steel and poly pads for smooth effortless entry.

The self-centering poly vee slides and the hard poly keel rollers are designed to ease your boat off the trailer and in normal conditions it will self-centre your boat every time you drive or winch your boat back onto the trailer.

For aluminium boats, it is the perfect choice in trailers.

All models are not pictured. Please refer to specifications on page 22 for the full range.





## CENTRELINE STANDARD FEATURES

### CL 4.7M-13

Hard poly keel rollers

Self-centering keel system

Teflon-lined directional lead-in

Submersible LED lighting



3-1 winch & strap up to 4.2m, 5-1 winch & strap 4.4 to 5.7m, 10-1 winch & strap on 6.2m

Swing-up wind-up jockey wheel all models

Frame & most components hot dipped galvanised

Galvanised axles, springs & hubs

Moulded guards & galvanised wheels

**Suitable for  
aluminium boats  
from 4.2m to 6.2m**

**Dunbier**  
marine products





SPORTS 4.2M-13L



SPORTS 4.2M-13S



SPORTS 4.3M-13L

SPORTS 4.4M-13L &  
SPORTS 4.7M-13L

SPORTS 4.4M-13R

# SPORTS SERIES

The Sports Series has a comprehensive range of models suitable for your aluminium boat, inflatable boats, wooden boats and fibreglass hulls from 4.2m to 4.7m.

Look around and compare the strength, style and quality this Series offers there is truly no comparison. This is a great economy range of boat trailers that you can rely on time and time again.

**Suitable for aluminium, inflatable, wooden and fibreglass boats from 4.2m to 4.7m**





NIPPER 4M-13S



NIPPER 4M-10S



NIPPER 4M-13L

# NIPPER SERIES

Our Nipper Series trailers suit a vast range of aluminium, inflatable and smaller fibreglass hulls. The Nipper trailer is a well built solid trailer for it's size with a heavy duty undercarriage to last the distance.

The Nipper is available in two different wheel sizes. Options include short and long pads to support your boat's hull. These Nipper trailers are sure to exceed your expectations and are true value for money.

**Suitable for  
aluminium,  
inflatable and  
fibreglass boats**

**Dunbier**  
marine products





SPORTS WATER  
TOY 3.7R



SPORTS WATER  
TOY 3.7 SKID



SPORTS WATER  
TOY DOUBLE



SPORTS WATER  
TOY DOUBLE PCD

# SPORTS WATER TOY SERIES

The Sports Water Toy series is an extremely well built solid stylish trailer to match today's modern watercraft.

Available in single or double versions the single comes in a skid model or easy to use roller design making a quick launch for a fun day out...



WATER TOY SERIES SHOWN WITH OPTIONAL ALLOY WHEELS, PACK RACK, AND SPARE WHEEL & CARRIER





Suits personal watercraft for single and double skis

OPTIONS AND ACCESSORIES



ALLOY WHEELS



TRAILER LOCK



JERRY CAN



WHEEL COVER AND SPARE WHEEL CARRIER





AGP 6.5-14THE



AGR 7.0-14THE



AGR 7.5-14THE

## ALUMINIUM GLIDER SERIES

The Ultra strong Glider Series aluminium trailers are available for boats 6.5m-7.5M.

These stylish alloy trailers are available in a roller version or a skid pad version. The roller version featuring adjustable roller assemblies on the side of the hull, the skid version featuring poly over galvanised skids longitude of the hull. The Gliders offer a unique central keel system for maximum support.





### ALUMINIUM STANDARD FEATURES

#### AGR 6.5M-14TB

- New Dunbier designed full rolled aluminium welded frame
- Galvanised axles & springs
- Non marking wobble rollers
- Submersible lighting



- 5-1 winch & strap 6.2m model, 10-1 winch & strap 7.0 to 8.0m
- Swing-up wind-up jockey wheel all models
- Frame & most components hot dipped galvanised
- Galvanised ubolts, bolts & nuts
- Bearing protectors with grease cap
- Moulded guards & alloy wheels

**Suitable for aluminium boats from 6.5m to 7.5m**

**Dunbier**  
marine products



	Boat Size Approx	Trailer Gross Mass Kg	Trailer Mass Kg Only	Tyre Size	Length O/A	Width O/A	Width Between Guards
--	------------------	-----------------------	----------------------	-----------	------------	-----------	----------------------

**NIPPER SERIES**

Nipper 4M-10	3.9M	750	140	10	4290	1580	1205
Nipper 4M-13	3.9M	750	140	13	4290	1780	1310
Nipper 4M-10LW	3.9M	750	140	10	4290	1580	1205
Nipper 4M-13LW	3.9M	750	140	13	4290	1780	1310

**SPORTS SERIES**

Sports Water-Toy	3.7M	750	160	13	4300	1780	1310
Sports Water-Toy DBL	3.7M	1380	340	13	4880	2450	1950
Sports 4.2M-10S	4.2M	750	180	10	4650	1880	1500
Sports 4.2M-13S	4.2M	750	180	13	4650	2040	1580
Sports 4.2M-10L	4.2M	750	180	10	4650	1880	1500
Sports 4.2M-13L	4.2M	750	180	13	4650	2040	1580
Sports 4.3M-13L	4.3M	750	180	13	4740	2090	1620
Sports 4.4M-13	4.4M	750	200	13	5300	2040	1580
Sports 4.7M-13	4.7M	750	200	13	5500	2040	1580

**ROLLAMATIC SERIES**

R4.4M-13	4.4M	750	240	13	5140	2040	1580
R4.7M-13	4.7M	750	260	13	5400	2040	1580
R4.7M-13B	4.7M	1180	280	13	5400	2040	1580
R5.0M-13B	5.0M	1000	300	13	5650	2040	1580
R5.0M-14B	5.0M	1450	300	14	5650	2040	1580
R5.3M-13B	5.3M	1000	340	13	6100	2040	1580
R5.3M-14HB	5.3M	1650	360	14	6100	2040	1580
R5.7M-14HB	5.7M	1650	360	14	6300	2040	1580
R5.7M-13TM	5.7M	2000	420	13	6300	2000	1540
R6.2M-13TB	6.2M	2000	440	13	6600	2000	1540
R6.5M-13TB	6.5M	2000	460	13	7050	2000	1540

**ROLLAMATIC WIDE SERIES**

RW5.0M-13B	5.0M	1180	280	13	5400	2260	1830
RW5.0M-14B	5.0M	1450	280	14	5650	2260	1830
RW5.3M-13B	5.3M	1000	300	13	5650	2260	1830
RW5.3M-14B	5.3M	1450	340	14	6100	2260	1830
RWH5.3M-14B	5.3M	1650	340	14	6100	2260	1830
RW5.7M-14M	5.7M	1450	360	14	6300	2220	1790
RW5.7M-13TM	5.7M	2000	420	13	6300	2220	1790
RW6.2M-13TB	6.2M	2000	440	13	6600	2220	1790

**CENTRE-LINE SERIES**

CL4.2M-10S	4.2M	750	180	10	4650	1880	1500
CL4.2M-13S	4.2M	750	180	13	4650	2040	1580
CL4.2M-10L	4.2M	750	180	10	4650	1880	1500
CL4.2M-13L	4.2M	750	180	13	4650	2040	1580
CL4.4M-13	4.4M	750	200	13	5300	2040	1580
CL4.7M-13	4.7M	750	220	13	5500	2040	1580
CL4.7M-13B	4.7M	1000	260	13	5500	2040	1580
CL4.7M-13 WF	4.7M	750	240	13	5500	2260	1830
CL4.7M-13WFB	4.7M	1000	280	13	5600	2260	1830
CL5.0M-13B	5.0M	1000	280	13	5700	2040	1580
CL5.3M-13B	5.3M	1000	320	13	6250	2040	1580

	Boat Size Approx	Trailer Gross Mass Kg	Trailer Mass Kg Only	Tyre Size	Length O/A	Width O/A	Width Between Guards
--	------------------	-----------------------	----------------------	-----------	------------	-----------	----------------------

**CENTRE-LINE SERIES (continued)**

CL5.3M-14B	5.3M	1450	340	14	6250	2040	1580
CL5.7M-13TB	5.7M	2000	400	13	6350	2000	1540
CL6.2M-13TB	6.2M	2000	420	13	6850	2000	1540

**LOADER SERIES**

LS4.4M-13	4.4M	750	240	13	5140	2040	1580
LS4.7M-13	4.7M	750	240	13	5400	2040	1580
LS4.7M-13B	4.7M	1000	280	13	5400	2040	1580
LS5.0M-13B	5.0M	1000	300	13	5650	2040	1580
LS5.0M-14B	5.0M	1450	300	14	5650	2040	1580
LS5.3M-13B	5.3M	1000	320	13	6100	2040	1580
LS5.3M-14B	5.3M	1450	340	14	6100	2040	1580
LS5.3M-13TB	5.3M	2000	400	13	6100	2000	1540
LS5.7M-14B	5.7M	1450	340	14	6300	2000	1540
LS5.7M-13TB	5.7M	2000	420	13	6300	2000	1540
LS6.2M-13TB	6.2M	2000	420	13	6600	2000	1540
LS6.5M-13TB	6.5M	2000	440	13	7050	2000	1540

**LOADER WIDE SERIES**

LWS4.7M-13B	4.7M	1180	300	13	5350	2260	1830
LWS5.0M-13B	5.0M	1000	320	13	5600	2260	1830
LWS5.3M-14B	5.3M	1450	360	14	6050	2260	1830
LWS5.3M-13TB	5.3M	2000	400	13	6050	2260	1830
LWS5.7M-14B	5.7M	1450	360	14	6250	2220	1790
LWS5.7M-13TB	5.7M	2000	420	13	6250	2220	1790
LWS6.2M-13TB	6.2M	2000	420	13	6550	2220	1790
LWS6.5M-13TB	6.5M	2000	450	13	7000	2220	1790

**SUPA-ROLLA SERIES**

SR4.7M-13	4.7M	750	280	13	5050	2040	1580
SR4.7M-13B	4.7M	1000	320	13	5050	2040	1580
SR5.0M-13B	5.0M	1000	320	13	5350	2040	1580
SR5.0M-14B	5.0M	1450	320	14	5350	2040	1580
SR5.3M-13B	5.3M	1000	360	13	5730	2040	1580
SR5.3M-14B	5.3M	1450	360	14	5730	2040	1580
SR5.3M-13TB	5.3M	2000	420	13	5730	2040	1580
SR5.7M-14HB	5.7M	1650	360	14	6150	2000	1540
SR5.7M-13TB	5.7M	2000	420	13	6150	2000	1540
SR6.2M-13TB	6.2M	2000	480	13	6150	2000	1540

**SUPA-ROLLA WIDE SERIES**

SRW5.3M-14HB	5.3M	1450	360	14	5900	2260	1830
SRW5.3M-14HB	5.3M	1650	360	14	5900	2260	1830
SRW5.3M-13TB	5.3M	2000	460	13	5900	2220	1790
SRW5.7M-14HB	5.7M	1650	360	14	5900	2260	1830
SRW5.7M-13TB	5.7M	2000	460	13	6300	2220	1790
SRW6.1M-13TB	6.1M	2000	480	13	6600	2220	1790
SRW6.1M-14THE	6.1M	2400	550	14	6600	2220	1790
SRW6.6M-13TB	6.6M	2000	580	13	6750	2220	1790
SRW6.6M-14THE	6.6M	3000	660	14	6750	2220	1790
SRW7.0M-14THE	7.0M	3000	680	14	7100	2220	1790

	Boat Size Approx	Trailer Gross Mass Kg	Trailer Mass Kg Only	Tyre Size	Length O/A	Width O/A	Width Between Guards
--	------------------	-----------------------	----------------------	-----------	------------	-----------	----------------------

**SUPA-ROLLA WIDE SERIES (continued)**

SRW7.0M-15THE	7.0M	3500	780	15	7100	2350	1790
SRW7.5-14THE	7.5M	3000	720	14	7600	2220	1790
SRW7.5-15THE	7.5M	3500	800	15	7600	2350	1790
SRW8.0M-15THE	8.0M	4400	960	15	8200	2350	1790
SRW8.0M-4.4T	8.0M	4400	1040	15	8200	2350	1790

**GLIDER SERIES**

GR5.0M-13B	5.0M	1180	340	13	5450	2280	1810
GP5.0M-13B	5.0M	1180	340	13	5450	2280	1810
GP5.3M-14B	5.3M	1450	380	14	5750	2280	1810
GR5.3M-14B	5.3M	1450	380	14	5750	2280	1810
GP5.7M-14B	5.7M	1450	380	14	6100	2280	1810
GR5.7M-14B	5.7M	1450	380	14	6100	2280	1810
GP5.7M-13TB	5.7M	2000	460	13	6100	2280	1810
GR5.7M-13TB	5.7M	2000	460	13	6100	2280	1810
GP6.2M-13TB	6.2M	2000	520	13	6500	2280	1810
GR6.2M-13TB	6.2M	2000	520	13	6500	2280	1810
GP6.2M-14THE	6.2M	2400	560	14	6500	2330	1810
GR6.2M-14THE	6.2M	2400	560	14	6500	2330	1810
GP6.5M-13TB	6.5M	2000	520	13	6850	2330	1810
GR6.5M-13TB	6.5M	2000	520	13	6850	2330	1810
GP6.5M-14THE	6.5M	2400	560	14	6850	2330	1810
GR6.5M-14THE	6.5M	2400	560	14	6850	2330	1810
GP7.0M-14THE	7.0M	3000	640	14	7100	2330	1810
GR7.0M-14THE	7.0M	3000	640	14	7100	2330	1810
GP7.5M-14THE	7.5M	3000	660	14	7550	2330	1810
GR7.5M-14THE	7.5M	3000	660	14	7550	2330	1810

**ALUMINIUM SUPA-ROLLA SERIES**

AS 6.2M-14TB	6.2M	2000	490	14	6700	2350	1790
AS 6.2M-14THE	6.2M	2400	505	14	6700	2350	1790
AS 6.6M-14TB	6.6M	2000	535	14	6750	2350	1790
AS 6.6M-14THE	6.6M	3000	550	14	6750	2350	1790
AS 7.0M-14TB	7.0M	2000	550	14	7100	2350	1790
AS 7.0M-14THE	7.0M	3000	550	14	7100	2350	1790
AS 7.0M-15THE	7.0M	3500	650	15	7100	2350	1790
AS 7.5M-14THE	7.5M	3000	550	14	7600	2350	1790
AS 7.5M-15THE	7.5M	3500	650	15	7600	2350	1790
AS 8.0M-15THE	8.0M	4400	780	15	8900	2380	1800

**ALUMINIUM GLIDER SERIES**</





TRAILER LOCK



SPARE WHEEL,  
MOUNT & COVER



ALLOY SWING  
UP WHEEL



POLY  
ROLLERS



13" & 14"  
ALLOY WHEELS



PACK RACK



OPTIONAL GUARDS



WHITE PLASTIC GUARDS  
& WHITE WHEELS



HYDRASTAR BRAKES



SWING-AROUND  
DRAWBAR



ELECTRIC WINCH



BEARING  
BUDDIES

**TRAILER OPTIONS**

Featured to the left are some of our most popular options available on Dunbier trailers today. Talk to your Dunbier dealer for more information and pricing.



# Dunbier

marine products

## HEAD OFFICE - VICTORIA

136-164 Boundary Road,  
Braeside, Victoria 3195  
P: 03 9580 2455 F: 03 9587 3374  
E: [dunbier@dunbier.com](mailto:dunbier@dunbier.com)

## SYDNEY

25 Devon Road,  
Ingleburn, New South Wales 2565  
P: 02 9618 0100 F: 02 9618 0300  
E: [dunbns@dunbier.com](mailto:dunbns@dunbier.com)

## ADELAIDE

160 Francis Road,  
Wingfield, South Australia 5013  
P: 08 8345 2211 F: 08 8345 2244  
E: [dunbsa@dunbier.com](mailto:dunbsa@dunbier.com)

## BRISBANE

124 Lahrs Road,  
Ormeau, Queensland 4208  
P: 07 5540 7477 F: 07 5540 7474  
E: [dunbqld@dunbier.com](mailto:dunbqld@dunbier.com)

## PERTH

31 Burlington St,  
Naval Base, Western Australia 6165  
P: 08 9437 9689 F: 08 9437 9694  
E: [dunbwa@dunbier.com](mailto:dunbwa@dunbier.com)

© Copyright 2011 Dunbier Marine Products Pty. Ltd.

As new technology and advanced new manufacturing techniques are constantly being developed, Dunbier Marine Products reserves the right to change model and specifications without incurring any obligations whatsoever. Photos in this catalogue may show optional and non-standard equipment, features and accessories.

WWW.DUNBIER.COM

## DUNBIER MARINE PRODUCTS PTY. LTD. (A.C.N.005.081.336) ("DUNBIER") TRAILER WARRANTY

### TWO YEAR FRAME WARRANTY

Dunbier warrants each boat trailer frame and its fabricated steel components including the ball coupling and wheels (but excluding tyres and tubes) to be free of structural or welding defects for a period of two years from the date of original purchase.

### ONE YEAR WARRANTY

Dunbier warrants the hot dipped galvanised finished surface of each boat trailer and its components for a period of one year from the date of manufacture on the compliance plate against red rust. This Warranty also extends to galvanised u bolts, nuts, bolts, mechanical braking equipment and the manual winch but excludes the strap or cable.

### SIX MONTHS WARRANTY

Dunbier provides a general Warranty as to fitness, for a period of six months from the date of original purchase with regard to lighting, hydraulic braking equipment, axles, bearings, seals, tyres (excluding tyre wear), the surface finish of painted or powder coated wheels and jockey wheels.

### OBLIGATIONS OF DUNBIER

Dunbier shall repair or replace any item covered by the Warranties above, within reasonable time after direction from the Dunbier Office in your state, for the address where the trailer is to be returned.

### CONDITIONS/EXCLUSIONS/ LIMITATIONS

- The warranties herein contained extend to the original purchaser (whose details are recorded by Dunbier) only. They do not cover any person to whom a trailer is transferred. Exercise of any of the above Warranties is subject to delivery of the Trailer to Dunbier and to proof of purchase and the date of purchase (as to which Dunbier's records shall be conclusive in the case of disagreement.)
- This Warranty does not cover the cosmetic appearance of the galvanised surface of a trailer or its components (which change after a trailer leaves Dunbier's factory). It does not extend to rust on painted, powder coated or zinc coated surfaces, brake pads, winch cables, winch straps, bow rollers and keel rollers.
- This Warranty shall not extend to any trailer which is found to have been used for off road or any purpose other than that for which it was manufactured; which is found to have been overloaded, (i.e. in excess of the stated mass load on the trailer certification plate), which is altered or modified in any way, or which malfunctions due to prior damage, unreasonable use or failure to provide reasonable and necessary maintenance.
- This Warranty will be negated by and Dunbier will not bear any responsibility for any Warranty procedure or Charge carried out without written authorization by Dunbier.
- There shall be no implied or actual Warranty with respect to the manufacture of, or merchantability, or fitness for a particular purpose of any Dunbier Trailer and Dunbier shall not be liable for any transportation charges, or for any direct, special, incidental, consequential (including loss of profit) or other loss or damage, whether based in contract, or tort, or arising from breach of any Warranty or otherwise PROVIDED THAT Dunbier acknowledges that this Warranty does not exclude or limit the application of any provision of any Statute (including the Trade Practices Act) where to do so would contravene that Statute or cause any part of this Agreement to be void ("Non-excludable Condition"). Dunbier's total liability hereunder for a breach of any Non-excludable Condition (other than one implied by Section 69 of the Trade Practices Act) is limited to its option to any one of supplying, repairing or replacing or paying the cost of supplying, repairing or replacing a Trailer.
- COMMERCIAL OR OFF ROAD USE: Dunbier Marine Products P/L do not warrant trailers used Commercially or Off Road or warrant that Dunbier Trailers are suitable for a particular off road or commercial application.